



Delivery address:  
RISE, Fire Technology  
Att: \_\_\_\_\_  
Brinellgatan 4  
Hus 3, port E  
SE-504 62 BORAS  
SWEDEN

## Product specification form for IMO 2010 FTP Code Res MSC 307(88)

The information asked for is necessary for RISE to be able to correctly carry out the tests and to write the corresponding test reports. Please provide answers for all the relevant questions regarding the specific material to be tested. Send the test specimens to the address given above.

<b>Which part of IMO FTP Code to be tested according to</b>	
<b>Client name and address</b>	
<b>VAT-no.</b>	
<b>Invoice address</b>	
<b>Manufacturer name and address</b>	
<b>Product name (stated in test report)</b>	
<b>Type of product</b>	
<b>Test report language (1 included)</b>	English Swedish

<b>Material parameter</b>	<b>Cover material</b>	<b>Interliner</b>	<b>Wadding</b>	<b>Filling</b>
Name and/or art.no.				
Manufacturer				
Thickness (mm)				

Area weight (g/m <sup>2</sup> )				*
Density (g/m <sup>3</sup> )	*	*	*	
Material composition and the composite ration (%)				
Colour/s and tone/s		*	*	*
Pattern and the representative colour of that pattern		*	*	*
Composition of weave: such as plain or twilled		*	*	*
Yarn number count (Nm, Dtex, etc.)		*	*	*
Threads per inch or per cm in both warp and weft		*	*	*
Fire retardant treatment and method used				
Washing procedure		*	*	*
Detergent used		*	*	*

\* Not applicable

## Sampling

### Part 7

20 representative specimens of the material without selvages, 10 specimens cut in the warp direction and 10 specimens cut in the weft direction. The specimens shall be cut, each measuring 220 x 170 mm.

*If the fabric is treated with flame retardants it also needs to be tested after a washing cycle. This means that double the amounts of specimens are needed.*

### Part 8

*Cover material/interliner/wadding:*

Two representative specimens with the dimensions 800 ± 10 mm x 650 ± 10 mm. The long dimension shall be cut parallel to the selvage.

*Filling:*

Two representative specimens with the dimensions  $450 \pm 5$  mm x  $300 \pm 5$  mm x  $75 \pm 2$  mm thick.

Two representative specimens with the dimensions  $450 \pm 5$  mm x  $150 \pm 5$  mm x  $75 \pm 2$  mm thick.

**Part 9**

*Mattresses:*

Four specimens with the dimensions 450 mm x 350 mm x full nominal thickness. The test specimen shall be representative of the components and make-up of the finished mattress, mattress pad or upholstered bed base. Where there is doubt as to which side is the top side, the test shall be carried out on both sides. Four additional specimens are then needed.

*Mattresses with removable covers:*

Eight specimens, four with and four without the mattress cover.

*Pillows:*

Four samples in full size.

*Other than pillows or mattresses:*

Four specimens with the dimensions 450 mm x 350 mm.